# THEORETICAL AND APPLIED GENETICS

Vol. 73 1986/87

International Journal of Breeding Research and Cell Genetics

**Editorial Board**

Managing Editor: H. F. Linskens, Nijmegen

L. Alföldi, Szeged
J. S. F. Barker, Armidale
E. J. Eisen, Raleigh, NC
Y. Y. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Peking
A. L. Kahler, Slater, IA
G. S. Khush, Manila
J. Mac Key, Uppsala
P. Maliga, Oakland, Calif
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, Caracas
P. L. Pfahler, Gainesville, Fla
I. Potrykus, Basel
R. Riley, F. R. S., Cambridge, UK
A. Robertson, F. R. S., Edinburgh
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
H. Stubbe, Gatersleben
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Ithaca, NY
G. Wenzel, Grünbach

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 under the title 'Der Züchter' as a German journal for theoretical and applied genetics; changed from a national journal devoted almost exclusively to plant breeding to an international periodical for genetics and breeding research under the same title 'Der Züchter' in 1966; in 1968 to 'Theoretical and Applied Genetics'; edited by H. Stubbe from 1946 to 1976

---

**Copyright**

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA*

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1986/87 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Printers: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg

# Table of contents


Abbott, R. J.: see Caligari, P. D. S. et al., 218
Abeelen, J. H. F. van: see Crusio, W. E., 27
Akbar, M. A.: Artificial *Brassica napus* flowering in Bangladesh 465
Akhmedov, M. G.: see Metakovsky, E. V. et al., 278
Alexander, D. C.: see Osborn, T. C., 350
Al-Saheal, Y. A.; Larik, A. S.: Linkage studies of the *h* gene with plant weight in flax genotrophs 343
Amici, A.: see Rollo, F. et al., 501
Andersson, L.; Arnason, Th.; Sandberg, K.: Biochemical polymorphism in relation to performance in horses 419
Appa Rao, S.; Mengesha, M. H.; Rajagopal Reddy, C.: New sources of dwarfing genes in pearl millet (*Pennisetum americanum*) 170
Appels, R.: see Koebner, R. M. D. et al., 209
Aragoncillo, C.: see Molina-Cano, J. L. et al., 531
Arcioni, S.: see Spanò, L. et al., 523
Armstrong, S. W.: see Davidson, D. et al., 915
Arnason, Th.: see Andersson, L. et al., 419
Aviv, D.; Galun, E.: Chondriome analysis in sexual progenies of *Nicotiana cybrids* 821

Badaev, N. S.: see Bolsheva, N. L. et al., 66
Badaeva, E. D.: see Bolsheva, N. L. et al., 66
Baertlein, D. A.; McDaniel, R. G.: Molecular divergence of alfalfa somaclones 575
Bahrman, N.: see Thiellement, H. et al., 246
Bailey-Serres, J.; Dixon, L. K.; Liddell, A. D.; Leaver, C. J.: Nuclear-mitochondrial interactions in cytoplasmic male-sterile Sorghum 252
Banerjee, M. K.; Kalloo: Sources and inheritance of resistance to leaf curl virus in *Lycopersicon* 707
Barsby, T. L.; Chuong, P. V.; Yarrow, S. A.; Sau-Ching Wu; Coumans, M.; Kemble, R. J.; Powell, A. D.; Beversdorf, W. D.; Pauls, K. P.: The combination of Polima cms and cytoplasmic triazine resistance in *Brassica napus* 809
Bauchan, G. R.: see Boyle, T. H. et al., 716
Beckmann, J. S.: see Lebowitz, R. J. et al., 556
Bell, J. C.: see Moran, G. F., 616
Benito, C.; Figueiras, A. M.; González-Jaén, M. T.: Location of genes coding isozyme markers on *Aegilops umbellulata* chromosomes adds data on homoeology among Triticeae chromosomes 581
Benito, C.: see Bosch, A. et al., 701
Benito, C.: see Figueiras, A. M. et al., 683
Bennett, M. D.: see Laurie, D. A., 403
Bergstrom, G. C.: see Hautea, R. A. et al., 609
Bevan, M.: see Ooms, G. et al., 744
Beversdorf, W. D.: see Barsby, T. L. et al., 809
Bolsheva, N. L.; Badaeva, E. D.; Badaev, N. S.; Zelenin, A. V.: Chromosomal alterations in the karyotype of triticale in comparison with the parental forms. 2. Heterochromatin of the wheat chromosomes 66
Bosch, A.; Vega, C.; Benito, C.: The peroxidase isozymes of the wheat kernel: tissue and substrate specificity and their chromosomal location 701
Boutin, V.; Pannenbecker, G.; Ecke, W.; Schewe, G.; Saumitou-Laprade, P.; Jean, R.; Vernet, Ph.; Michaelis,G.: Cytoplasmic male sterility and nuclear restorer genes in a natural population of *Beta maritima:* genetical and molecular aspects 625
Boyer, C. D.: see Saravitz, C. H., 489
Boyle, T. H.; Stimart, D. P.: Self-incompatibility and interspecific incompatibility: relationships in intra- and interspecific crosses of *Zinnia elegans* Jacq. and *Z. angustifolia* HBK (Compositae) 305
Boyle, T. H.; Stimart, D. P.; Bauchan, G. R.: Influence of *Zinnia angustifolia* HBK genotype on embryonic and vegetative development of *Z. angustifolia* x *Z. elegans* Jacq. interspecific hybrids 716
Breiman, A.: Mitochondrial DNA diversity in the genera of *Triticum* and *Aegilops* revealed by Southern blot hybridization 563
Breiman, A.; Felsenburg, T.; Galun, E.: *Nor* loci analysis in progenies of plants regenerated from the scutellar callus of bread-wheat. A molecular approach to evaluate somaclonal variation 827
Bridges, W. C., Jr.: see Knapp, S. J., 759
Brown, J.: see Caligari, P. D. S. et al., 218
Burrell, M. M.: see Ooms, G. et al., 744

Caboche, M.: see Grafe, R. et al., 299
Caligari, P. D. S.; Brown, J.; Abbott, R. J.: Selection for yield and yield components in the early generations of a potato breeding programme 218
Cavallini, A.; Zolfino, C.; Cionini, G.; Cremonini, R.; Natali, L.; Sassoli, O.; Cionini, P. G.: Nuclear DNA changes within *Helianthus annuus* L.: cytophotometric, karyological and biochemical analyses 20
Cermeño, M. C.: see Friebe, B. et al., 337
Chakrabarti, T.; Subrahmanyam, N. C.: Characterization and localization of cryptic satellite DNAs in barley (*Hordeum vulgare*) 31
Chakrabarti, T.; Subrahmanyam, N. C.; Doy, C. H.: Analysis and in situ hybridization of cryptic satellites in *Hordeum arizonicum* 40
Cheliak, W. M.; Skrøppa, T.; Pitel, J. A.: Genetics of the polycross. 1. Experimental results from Norway spruce 321
Chevalet, C.: see Cornuet, J.-M. et al., 223
Chuong, P. V.: see Barsby, T. L. et al., 809
Cionini, G.: see Cavallini, A. et al., 20
Cionini, P. G.: see Cavallini, A. et al., 20
Coffman, W. R.: see Hautea, R. A. et al., 609
Colas des Francs, C.: see Thiellement, H. et al., 246
Collins, G. B.: see De Verna, J. W. et al., 665
Cornuet, J.-M.; Daoudi, A.; Chevalet, C.: Genetic pollution and number of matings in a black honey bee (*Apis mellifera mellifera*) population 223
Coumans, M.: see Barsby, T. L. et al., 809
Cowen, N. M.: Selection theory for selfed progenies 182
Cowen, N. M.: Testcross selection theory 371
Cremonini, R.: see Cavallini, A. et al., 20
Crossa, J.; Gardner, C. O.; Mumm, R. F.: Heterosis among populations of maize (*Zea mays* L.) with different levels of exotic germplasm 445
Crusio, W. E.; Abeelen, J. H. F. van: A comparison between the full diallel cross and the simplified triple-test cross 27

Daday, H. V.; Lawrence, M.; Forrester, R. I.; Whitecross, M. I.; Possingham, J. V.: Nuclear DNA regulates the level of ribulose 1,5-bisphosphate carboxylase oxygenase in *Medicago sativa* L. 856

Dale, P. J.: see Joarder, O. I. et al., 286
Damiani, F.: see Spanò, L. et al., 523
Daoudi, A.: see Cornuet, J.-M. et al., 223
Davidson, D.; Pertens, E.; Armstrong, S. W.: Changes in frequencies of variegated leaves in NMU treated tobacco. Evidence for a differential response to NMU 915
De Bock, Th. S. M.: see Oléo, M. et al., 261
De Jong, J. H.: see Oud, J. L. et al., 630
Delibes, A.; Lopez-Braña, I.; Mena, M.; García-Olmedo, F.: Genetic transfer of resistance to powdery mildew and of an associated biochemical marker from *Aegilops ventricosa* to hexaploid wheat 605
De Pace, C.: see Montebove, L. et al., 836
De Verna, J. W.; Myers, J. R.; Collins, G. B.: Bypassing prefertilization barriers to hybridization in *Nicotiana* using in vitro pollination and fertilization 665
D'Halluin, K: see Van Geyt, J. et al., 920
Dhillon, B. S.; Khehra, A. S.; Singh, M.: Modified full-sib selection and estimation of genetic parameters 672
Dhillon, N. P. S.; Sharma, B. R.: Genetics of resistance to red pumpkin beetle (*Aulacophora foveicollis*) in summer squash (*Cucurbita pepo* L.) 711
Dirk, J.: see Schweiger, H.-G. et al., 769
Dixon, L. K.: see Bailey-Serres, J. et al., 252
Doy, C. H.: see Chakrabarti, T. et al., 40
Dumas, C.: see Gay, G. et al., 47
Dunnington, E. A.: see Zelenka, D. J. et al., 61
Durrant, A.: see Rees, H., 72

Ecke, W.: see Boutin, V. et al., 625
Ehlenfeldt, M. K.; Helgeson, J. P.: Fertility of somatic hybrids from protoplast fusions of *Solanum brevidens* and *S. tuberosum* 395
Eisen, E. J.: Maturing patterns of organ weights in mice selected for rapid postweaning gain 148
Ellerström, S.: see Lange, W. et al., 635

Fahey, J. W.: see Pace, G. M. et al., 863
Farid, A.; Makarechian, M.; Strobeck, C.: Inbreeding under a cyclical mating system 506
Feenstra, W. J.: see Vries, S. E. de et al., 451
Felsenburg, T.: see Breiman, A. et al., 827
Fernández, J. A.; Jouve, N.: Chromosomal location of structural genes controlling isozymes in *Hordeum chilense*. 1. 6-Phosphogluconate dehydrogenase and malate dehydrogenase 433
Fernández, J. A.; Jouve, N.: Chromosomal location of structural genes controlling isozymes in *Hordeum chilense*. 3. Esterases, glutamate oxaloacetate transaminase and phosphoglucomutase 690
Ferwerda, M. A.: see Pijnacker, L. P. et al., 878
Figueiras, A. M.; González-Jaén, M. T.; Benito, C.: Genetics of rye phosphatases: evidence of a duplication 683
Figueiras, A. M.: see Benito, C. et al., 581
Fobes, J. F.: see Osborn, T. C., 350
Forrester, R. I.: see Daday, H. V. et al., 856
Foulley, J. L.; Gianola, D.; Im, S.: Genetic evaluation of traits distributed as Poisson-binomial with reference to reproductive characters 870
Fra-Mon, P.: see Molina-Cano, J. L. et al., 531
Friebe, B.; Cermeño, M. C.; Zeller, F. J.: C-banding polymorphism and the analysis of nucleolar activity in *Dasypyrum villosum* (L.) Candargy, its added chromosomes to hexaploid wheat and the amphiploid *Triticum dicoccum – D. villosum* 337

Galun, E.: see Aviv, D., 821
Galun, E.: see Breiman, A. et al., 827
Ganal, M.; Hemleben, V.: Different AT-rich satellite DNAs in *Cucurbita pepo* and *Cucurbita maxima* 129
García-Olmedo, F.: see Delibes, A. et al., 605
García-Olmedo, F.: see Molina-Cano, J. L. et al., 531
Gardner, C. O.: see Crossa, J. et al., 445
Gay, G.; Kerhoas, C.; Dumas, C.: Pollen gene expression analysed by micro-isoelectric focusing of proteins from isolated pollen grains in *Cucurbita pepo* L. 47
Gianola, D.: see Foulley, J. L. et al., 870
Gielen, J. J. L.: see Grinsven, M. Q. J. M. van et al., 94
Gill, B. S.: see Lane Rayburn, A., 385
González-Jaén, M. T.: see Benito, C. et al., 581
González-Jaén, M. T.: see Figueiras, A. M. et al., 683
Gorz, H. J.: see Haskins, F. A., 2
Gracen, V. E.: see Pring, D. R. et al., 646
Gradov, A. A.: see Mullakandov, M. R. et al., 272
Grafe, R.; Marion-Poll, A.; Caboche, M.: Improved in vitro selection of nitrate reductase-deficient mutants of *Nicotiana plumbaginifolia* 299
Green, C. C.; Wynne, J. C.: Diallel and generation means analyses for the components of resistance to *Cercospora arachidicola* in peanut 228
Grinsven, M. Q. J. M. van; Gielen, J. J. L.; Zethof, J. L. A.; Nijkamp, H. J. J.; Kool, A. J.: Transcriptional and post-transcriptional regulation of chloroplast gene expression in *Petunia hybrida* 94
Gruber, K.: see Mayr, B., 832
Gupta, P. K.; Misra, A. K.: Effect of genome combinations on stability of yield and yield components in wheats and triticales 899
Gupta, P. K.; Priyadarshan, P. M.: Analysis of meiosis in triticale (X *Triticosecale* Wittmack) x rye (*Secale cereale* L.) $F_1$ hybrids at three ploidy levels 893

Hachtel, W.: see Stein, J. vom, 141
Haskins, F. A.; Gorz, H. J.: Relationship between contents of leucoanthocyanidin and dhurrin in sorghum leaves (Short communication) 2
Hautea, R. A.; Coffman, W. R.; Sorrells, M. E.; Bergstrom, G. C.: Inheritance of partial resistance to powdery mildew in spring wheat 609
Helgeson, J. P.: see Ehlenfeldt, M. K., 395
Hemleben, V.: see Ganal, M., 129
Hermsen, J. G. Th.: see Uijtewaal, B. A. et al., 751
Hille, J.: see Ooms, G. et al., 744
Hinata, K.: see Okazaki, K. et al., 496
Hirai, A.: see Kishima, Y. et al., 330
Ho, L. C.: see Pace, G. M. et al., 863
Hühn, M.: Theoretical studies on the necessary number of components in mixtures. 4. Number of components and juvenile-mature correlations 53
Huigen, D. J.: see Uijtewaal, B. A. et al., 751
Hungtu Ma, Minghong Gu, Liang, G. H: Plant regeneration from cultured immature embryos of *Sorghum bicolor* (L.) Moench 389
Hymowitz, T.: see Kloth, R. H. et al., 410

Im, S.: see Foulley, J. L. et al., 870

Jacobs, M.: see Van Geyt, J. et al., 920
Jacobsen, E.: see Vries, S. E. de et al., 451

James, D. J.; Mackenzie, K. A. D.; Malhotra, S. B.: The induction of hexaploidy in cherry rootstocks using in vitro regeneration techniques 589
Jan, C. C.: see Montebove, L. et al., 836
Jean, R.: see Boutin, V. et al., 625
Jenkins, G.; Scanlon, M. J.: Chromosome pairing in a *Lolium temulentum* x *Lolium perenne* diploid hybrid with a low chiasma frequency 516
Joarder, N. H.: see Joarder, O. I. et al., 286
Joarder, O. I.; Joarder, N. H.; Dale, P. J.: In vitro response of leaf tissues from *Lolium multiflorum* – a comparison with leaf segment position, leaf age and in vivo mitotic activity 286
Jones, M. G. K.: see Vries, S. E. de et al., 451
Jouve, N.: see Fernández, J. A., 433, 690
Jouve, N.: see Montero, M. et al., 122
Juliano, B. O.: see Kumar, I. et al., 481

Kakes, P.: see Oud, J. L. et al., 630
Kalloo: see Banerjee, M. K., 707
Karp, A.: see Ooms, G. et al., 744
Kaushik, R. P.; Sharma, K. D.: Extent of heterosis in rice (*Oryza sativa* L.) under cold stress conditions – yield and its components 136
Kemble, R. J.: A rapid, single leaf, nucleic acid assay for determining the cytoplasmic organelle complement of rapeseed and related *Brassica* species 364
Kemble, R. J.: see Barsby, T. L. et al., 809
Kerhoas, C.: see Gay, G. et al., 47
Khehra, A. S.: see Dhillon, B. S. et al., 672
Khush, G. S.: see Kumar, I. et al., 481
Kinghorn, B. P.: The nature of 2-locus epistatic interactions in animals: evidence from Sewall Wright's guinea pig data 595
Kinoshita, T.: see Kishima, Y. et al., 330
Kinya Toriyama; Kokichi Hinata; Takehiko Sasaki: Haploid and diploid plant regeneration from protoplasts of anther callus in rice 16
Kishima, Y.; Mikami, T.; Hirai, A.; Sugiura, M.; Kinoshita, T.: *Beta* chloroplast genomes: analysis of Fraction I protein and chloroplast DNA variation 330
Kloth, R. H.; Polacco, J. C.; Hymowitz, T.: The inheritance of a urease-null trait in soybeans 410
Knapp, S. J.; Bridges, W. C., Jr.: Confidence interval estimators for heritability for several mating and experiment designs 759
Kochko, A. de: Isozymic variability of traditional rice (*Oryza sativa* L.) in Africa 675
Koebner, R. M. D.; Shepherd, K. W.: Controlled introgression to wheat of genes from rye chromosome arm 1 RS by induction of allosyndesis. 1. Isolation of recombinants 197
Koebner, R. M. D.; Shepherd, K. W.; Appels, R.: Controlled introgression to wheat genes from rye chromosome arm 1 RS by induction of allosyndesis. 2. Characterisation of recombinants 209
Kokichi Hinata: see Kinya Toriyama et al., 16
Kool, A. J.: see Grinsven, M. Q. J. M. van et al., 94
Koop, H.-U.: see Schweiger, H.-G. et al., 769
Kranz, E.: see Schweiger, H.-G. et al., 769
Krishna, T. G.; Pawar, S. E.; Mitra, R.: Variation and inheritance of the arachin polypeptides of groundnut (*Arachis hypogaea* L.) 82
Kulkarni, R. N.; Ramesh, S.: Heritability estimates of citral content in East Indian lemongrass (Short communication) 476
Kumar, I.; Khush, G. S.; Juliano, B. O.: Genetic analysis of waxy locus in rice (*Oryza sativa* L.) 481

Ladizinsky, G.: see Tadmor, Y. et al., 883
La Marca, A.: see Rollo, F. et al., 501
Lane Rayburn, A.; Gill, B. S.: Molecular analysis of the D-genome of the Triticeae 385
Lange, W.; Linde-Laursen, I.; Larsen, J.; Ljungberg, A.; Ellerström, S.: Cytogenetic analysis of structural rearrangements in three varieties of common wheat, *Triticum aestivum* 635
Lange, W.: see Oléo, M. et al., 261
Larik, A. S.: see Al-Saheal, Y. A., 343
Larsen, J.: see Lange, W. et al., 635
Laurie, D. A.; Bennett, M. D.: The effect of the crossability loci, *Kr1* and *Kr2* on fertilization frequency in hexaploid wheat x maize crosses 403
Lavania, U. C.: Genetic improvement of Egyptian henbane, *Hyoscyamus muticus* L. through induced tetraploidy 292
Lawrence, M.: see Daday, H. V. et al., 856
Leach, C. R.; Mayo, O.; Morris, M. M.: Linkage disequilibrium and gametophytic self-incompatibility 102
Leaver, C. J.: see Bailey-Serres, J. et al., 252
Lebowitz, R. J.; Soller, M.; Beckmann, J. S.: Trait-based analyses for the detection of linkage between marker loci and quantitative trait loci in crosses between inbred lines 556
Levin, D. A.: see Wilson, J. B. 113
Liang, G. H.: see Hungtu Ma et al., 389
Liddell, A. D.: see Bailey-Serres, J. et al., 252
Linde-Laursen, I.: see Lange, W. et al., 635
Ljungberg, A.: see Lange, W. et al., 635
Lonsdale, D. M.: see Pring, D. R. et al., 646
Loonen, A. E. H. M.: see Vries, S. E. de et al., 451
Lopez-Braña, I.: see Delibes, A. et al., 605
Lorenzoni, C.: see Marmiroli, N. et al., 190

Mackenzie, K. A. D.: see James, D. J. et al., 589
Maheswaran, G.; Perryman, T.; Williams, E. G.: Use of an interspecific hybrid in identifying a new allelic specificity generated at the self-incompatibility locus after inbreeding in *Lycopersicon peruvianum* 236
Makarechian, M.: see Farid, A. et al., 506
Malhotra, S. B.: see James, D. J. et al., 589
Marion-Poll, A.: see Grafe, R. et al., 299
Mariotti, D.: see Spanò, L. et al., 523
Marmiroli, N.; Terzi, V.; Odoardi Stanca, M.; Lorenzoni, C.; Stanca, A. M.: Protein synthesis during cold shock in barley tissues. Comparison of two genotypes with winter and spring growth habit 190
Masojć, P.: Genetics of α-amylases from rye endosperm 440
Mayo, O.: see Leach, C. R. et al., 102
Mayr, B.; Gruber, K.: Nucleolus organizer regions and heterochromatin in the zebu (*Bos indicus* L.) 832
McDaniel, R. G.: see Baertlein, D. A., 575
McIntosh, R. A.: see Singh, R. P., 846
McPhee, C. P.; Trappett, P. C.: Growth and body composition changes in mice selected for high post-weaning weight gain on two levels of feeding 926
Meei-ling Yeh; Wei-chin Chang: Plant regeneration through somatic embryogenesis in callus culture of green bamboo (*Bambusa oldhamii* Munro) (Short communication) 161
Mena, M.: see Delibes, A. et al., 605
Mengesha, M. H.: see Appa Rao, S. et al., 170
Metakovsky, E. V.; Akhmedov, M. G.; Sozinov, A. A.: Genetic analysis of gliadin-encoding genes reveals gene clusters as well as single remote genes 278
Metakovsky, E. V.; Novoselskaya, A. Yu.; Sozinov, A. A.: Problems of interpreting results obtained in studies of somaclonal variation in gliadin proteins in wheat 764
Michaelis, G.: see Boutin, V. et al., 625

Mikami, T.: see Kishima, Y. et al., 330
Minghong Gu: see Hungtu Ma et al., 389
Misra, A. K.: see Gupta, P. K., 899
Mitra, R.: see Krishna, T. G. et al., 82
Molina, M. del C.; Naranjo, C. A.: Cytogenetic studies in the genus *Zea*. 1. Evidence for five as the basic chromosome number 542
Molina-Cano, J. L.; Fra-Mon, P.; Salcedo, G.; Aragoncillo, C.; Roca de Togores, F.; García-Olmedo, F.: Morocco as a possible domestication center for barley: biochemical and agromorphological evidence 531
Moneim Babu Fatih, A.: Genotypic stability analysis of yield and related agronomic characters in wheat-*Agropyron* derivatives under varying watering regimes 737
Montebove, L.; De Pace, C.; Jan, C. C.; Scarascia Mugnozza, G. T.; Qualset, C. O.: Chromosomal location of isozyme and seed storage protein genes in *Dasypyrum villosum* (L.) Candargy 836
Montero, M.; Sanz, J.; Jouve, N.: Meiotic pairing and alpha-amylase phenotype in a 5B/5R$^{m}$ *Triticum aestivum – Secale montanum* translocation line in common wheat 122
Moran, G. F.; Bell, J. C.: The origin and genetic diversity of *Pinus radiata* in Australia 616
Morgan, K.: see Yeh, F. C., 799
Morris, M. M.: see Leach, C. R. et al., 102
Mullakandov, M. R.; Gradov, A. A.; Zakijan, S. M.; Rubtsov, N. B.; Serov, O. L.: Peptidases A, B, C, D and S in the American mink: polymorphism and chromosome localization 272
Mumm, R. F.: see Crossa, J. et al., 445
Myers, J. R.: see De Verna, J. W. et al., 665

Naranjo, C. A.: see Molina, M. del C., 542
Natali, L.: see Cavallini, A. et al., 20
Neuhaus, G.: see Schweiger, H.-G. et al., 769
Nijkamp, H. J. J.: see Grinsven, M. Q. J. M. van et al., 94
Nishibayashi, S.: see Terada, R. et al., 379
Novoselskaya, A. Yu.: see Metakovsky, E. V. et al., 764

Odoardi Stanca, M.: see Marmiroli, N. et al., 190
Okazaki, K.; Hinata, K.: Repressing the expression of self-incompatibility in crucifers by short-term high temperature treatment 496
Oléo, M.; Van Geyt, J. P. C.; Lange, W.; De Bock, Th. S. M.: Investigations on an interspecific hybrid involving three species of the genus *Beta*, with special reference to isozyme polymorphism 261
Ooms, G.; Burrell, M. M.; Karp, A.; Bevan, M.; Hille, J.: Genetic transformation in two potato cultivars with T-DNA from disarmed *Agrobacterium* 744
Osborn, T. C.; Alexander, D. C.; Fobes, J. F.: Identification of restriction fragment length polymorphisms linked to genes controlling soluble solids content in tomato fruit 350
Oud, J. L.; Kakes, P.; De Jong, J. H.: Computerized analysis of chromosomal parameters in karyotype studies 630

Pace, G. M.; Reed, J. N.; Ho, L. C.; Fahey, J. W.: Anther culture of maize and the visualization of embryogenic microspores by fluorescent microscopy 863
Pallais, N.: True potato seed quality (Review) 784
Pannenbecker, G.: see Boutin, V. et al., 625
Pauls, K. P.: see Barsby, T. L. et al., 809
Pawar, S. E.: see Krishna, T. G. et al., 82
Perryman, T.: see Maheswaran, G. et al., 236
Pertens, E.: see Davidson, D. et al., 915
Pezzotti, M.: see Spanò, L. et al., 523
Pijnacker, L. P.; Ferwerda, M. A.; Puite, K. J.; Roest, S.: Elimination of *Solanum phureja* nucleolar chromosomes in *S. tuberosum* + *S. phureja* somatic hybrids 878
Pitel, J. A.: see Cheliak, W. M. et al., 321
Polacco, J. C.: see Kloth, R. H. et al., 410
Possingham, J. V.: see Daday, H. V. et al., 856
Powell, A. D.: see Barsby, T. L. et al., 809
Pring, D. R.; Lonsdale, D. M.; Gracen, V. E.; Smith, A. G.: Mitochondrial DNA duplication/deletion events and polymorphism of the C group of male sterile maize cytoplasms 646
Priyadarshan, P. M.: see Gupta, P. K., 893
Puite, K. J.: see Pijnacker, L. P. et al., 878

Qualset, C. O.: see Montebove, L. et al., 836

Rajagopal Reddy, C.: see Appa Rao, S. et al., 170
Rajasekaran, K.; Schank, S. C.; Vasil, I. K.: Characterization of biomass production, cytology and phenotypes of plants regenerated from embryogenic callus cultures of *Pennisetum americanum x P. purpureum* (hybrid triploid napiergrass) 4
Ramesh, S.: see Kulkarni, R. N., 476
Reddy, G. M.: see Reddy, V. D. 699
Reddy, V. D.; Reddy, G. M.: Genetic and biochemical basis of scent in rice (*Oryza sativa* L.) 699
Reed, J. N.: see Pace, G. M. et al., 863
Rees, H.; Durrant, A.: Recombination and genome size 72
Reith, M.; Straus, N. A.: Nucleotide sequence of the chloroplast gene responsible for triazine resistance in canola 357
Roca de Togores, F.: see Molina-Cano, J. L. et al., 531
Roest, S.: see Pijnacker, L. P. et al., 878
Rollo, F.; La Marca, A.; Amici, A.: Nucleic acids in mummified plant seeds: screening of twelve specimens by gel-electrophoresis, molecular hybridization and DNA cloning 501
Ross, M. H.: *X* chromosome origin of a supernumerary-like segment in *Blatella germanica* 316
Rowe, D. E.: Theoretical value of estimates of general combining ability in the autotetraploid crop 537
Rubtsov, N. B.: see Mullakandov, M. R. et al., 272
Ryan, S. A.; Scowcroft, W. R.: A somaclonal variant of wheat with additional $\beta$-amylase isozymes 459
Rybczyński, J. J.; Zdunczyk, W.: Somatic embryogenesis and plantlet regeneration in the genus *Secale*. 1. Somatic embryogenesis and organogenesis from cultured immature embryos of five wild species of rye 267

Sachan, J. N.; Singh, B.: Generation mean analyses for flowering and maturity in Indian mustard (*Brassica junces* (L.) Czern & Coss) 571
Salcedo, G.: see Molina-Cano, J. L. et al., 531
Salina, E. A.: see Vershinin, A. V. et al., 428
Sandberg, K.: see Andersson, L. et al., 419
Sanz, J.: see Montero, M. et al., 122
Saravitz, C. H.; Boyer, C. D.: Starch characteristics in cultures of normal and mutant maize endosperm 489
Sassoli, O.: see Cavallini, A. et al., 20
Sau-Ching Wu: see Barsby, T. L. et al., 809
Saumitou-Laprade, P.: see Boutin, V. et al., 625
Scanlon, M. J.: see Jenkins, G., 516
Scarascia Mugnozza, G. T.: see Montebove, L. et al., 836
Schank, S. C.: see Rajasekaran, K. et al., 4
Schewe, G.: see Boutin, V. et al., 625

Schweiger, H.-G.; Dirk, J.; Koop, H.-U.; Kranz, E.; Neuhaus, G.; Spangenberg, G.; Wolff, D.: Individual selection, culture and manipulation of higher plant cells (Review) 769
Scowcroft, W. R.: see Ryan, S. A., 459
Serov, O. L.: see Mullakandov, M. R. et al., 272
Shahin, E. A.; Spivey, R.: A single dominant gene for *Fusarium* wilt resistance in protoplast-derived tomato plants 164
Shahin, E. A.: see Trulson, A. J. et al., 11
Sharma, B. R.: see Dhillon, N. P. S., 711
Sharma, K. D.: see Kaushik, R. P., 136
Shepherd, K. W.: see Koebner, R. M. D., 197
Shepherd, K. W.: see Koebner, R. M. D. et al., 209
Shimamoto, K.: see Terada, R. et al., 379
Shumny, V. K.: see Vershinin, A. V. et al., 428
Shun Ficin: see Yan Yongshan, 469
Siegel, P. B.: see Zelenka, D. J. et al., 61
Simpson, R. B.: see Trulson, A. J. et al., 11
Singh, B.: see Sachan, J. N., 571
Singh, M.: see Dhillon, B. S. et al., 672
Singh, R. P.; McIntosh, R. A.: Genetics of resistance to *Puccinia graminis tritici* in 'Chris' and 'W3746' wheats 846
Skrøppa, T.: see Cheliak, W. M. et al., 321
Smith, A. G.: see Pring, D. R. et al., 646
Smith, J. S. C.; Smith, O. S.: Associations among inbred lines of maize using electrophoretic, chromatographic, and pedigree data. 1. Multivariate and cluster analysis of data from 'Lancaster Sure Crop' derived lines 654
Smith, O. S.: see Smith, J. S. C., 654
Soller, M.: see Lebowitz, R. J. et al., 556
Soltis, P. S.: Estimates of heritability and correlations of morphometric traits in *Clarkia* (Onagraceae) 88
Sorrells, M. E.: see Hautea, R. A. et al., 609
Sozinov, A. A.: see Metakovsky, E. V. et al., 278, 764
Spangenberg, G.: see Schweiger, H.-G. et al., 769
Spanò, L.; Mariotti, D.; Pezzotti, M.; Damiani, F.; Arcioni, S.: Hairy root transformation in alfalfa (*Medicago sativa* L.) 523
Speckmann, G. J., Jr.: see Van Geyt, J. et al., 920
Spivey, R.: see Shahin, E. A., 164
Stanca, A. M.: see Marmiroli, N. et al., 190
Stein, J. vom; Hachtel, W.: Chloroplast DNA differences between two species of *Oenothera* subsection *Munzia:* location in the chloroplast genome and relevance to possible interactions between nuclear and plastid genomes 141
Stimart, D. P.: see Boyle, T. H., 305
Stimart, D. P.: see Boyle, T. H. et al., 716
Straus, N. A.: see Reith, M., 357
Strobeck, C.: see Farid, A. et al., 506
Subrahmanyam, N. C.: see Chakrabarti, T., 31
Subrahmanyam, N. C.: see Chakrabarti, T. et al., 40
Sugiura, M.: see Kishima, Y. et al., 330
Svitashev, S. K.: see Vershinin, A. V. et al., 428

Tadmor, Y.; Zamir, D.; Ladizinsky, G.: Genetic mapping of an ancient translocation in the genus *Lens* 883
Takehiko Sasaki: see Kinya Toriyama et al., 16
Tallis, G. M.: Ancestral covariance and the Bulmer effect 815
Tempelaar, M. J.: see Vries, S. E. de et al., 451
Terachi, T.; Tsunewaki, K.: The molecular basis of genetic diversity among cytoplasms of *Triticum* and *Aegilops*. 5. Mitochondrial genome diversity among *Aegilops* species having identical chloroplast genomes 175
Terada, R.; Yamashita, Y.; Nishibayashi, S.; Shimamoto, K.: Somatic hybrids between *Brassica oleracea* and *B. campestris:* selection by the use of iodoacetamide inactivation and regeneration ability 379
Terzi, V.: see Marmiroli, N. et al., 190
Thiellement, H.; Bahrman, N.; Colas des Francs, C.: Regulatory effects of homoeologous chromosome arms on wheat proteins at two developmental stages 246
Thomas, H.: *Sid:* a Mendelian locus controlling thylakoid membrane disassembly in senescing leaves of *Festuca pratensis* 551
Tomiuk, J.: see Wöhrmann, K. et al., 77
Trappett, P. C.: see McPhee, C. P., 926
Trulson, A. J.; Simpson, R. B.; Shahin, E. A.: Transformation of cucumber (*Cucumis sativus* L.) plants with *Agrobacterium rhizogenes* 11
Tsunewaki, K.: see Terachi, T., 175

Uijtewaal, B. A.; Huigen, D. J.; Hermsen, J. G. Th.: Production of potato monohaploids ($2n = x = 12$) through prickle pollination 751

Van Dijk, H.: A method for the estimation of gene flow parameters from a population structure caused by restricted gene flow and genetic drift 724
Van Geyt, J; Speckmann, G. J., Jr.; D'Halluin, K.; Jacobs, M.: In vitro induction of haploid plants from unpollinated ovules and ovaries of the sugarbeet (*Beta vulgaris* L.) 920
Van Geyt, J. P. C.: see Oléo, M. et al., 261
Vasil, I. K.: see Rajasekaran, K. et al., 4
Vasil, I. K.: see Vasil, V., 793
Vasil, V.; Vasil, I. K.: Formation of callus and somatic embryos from protoplasts of a commercial hybrid of maize (*Zea mays* L.) 793
Vega, C.: see Bosch, A. et al., 701
Vernet, Ph.: see Boutin, V. et al., 625
Vershinin, A. V.; Salina, E. A.; Svitashev, S. K.; Shumny, V. K.: The occurrence of Ds-like sequences in cereal genomes 428
Vries, S. E. de; Jacobsen, E.; Jones, M. G. K.; Loonen, A. E. H. M.; Tempelaar, M. J.; Wijbrandi, J.; Feenstra, W. J.: Somatic hybridization of amino acid analogue-resistant cell lines of potato (*Solanum tuberosum* L.) by electrofusion 451

Weber, G.: see Wöhrmann, K. et al., 77
Wei-chin Chang: see Meei-ling Yeh, 161
Whitecross, M. I.: see Daday, H. V. et al., 856
Wijbrandi, J.: see Vries, S. E. de et al., 451
Williams, E. G.: see Maheswaran, G. et al., 236
Wilson, J. B.; Levin, D. A.: Some genetic consequences of skewed fecundity distributions in plants 113
Wöhrmann, K.; Tomiuk, J.; Weber, G.: The search for hidden enzymatic variation in the aphid *Macrosiphum rosae* (L.) 77
Wolff, D.: see Schweiger, H.-G. et al., 769
Wolff, K.: Genetic analysis of ecological relevant morphological variability in *Plantago lanceolata* L. 2. Localisation and organisation of quantitative trait loci 903
Wynne, J. C.: see Green, C. C., 228

Yamashita, Y.: see Terada, R. et al., 379
Yan Yongshan, Shun Ficin: Sister chromatid exchange points in the heterochromatin and euchromatin regions of Chinese hedgehog chromosomes 469
Yarrow, S. A.: see Barsby, T. L. et al., 809
Yeh, F. C.; Morgan, K.: Mating system and multilocus associations in a natural population of *Pseudotsuga menziesii* (Mirb.) Franco 799

Zakijan, S. M.: see Mullakandov, M. R. et al., 272
Zamir, D.: see Tadmor, Y. et al., 883
Zduńczyk, W.: see Rybczyński, J. J., 267
Zelenin, A. V.: see Bolsheva, N. L. et al., 66
Zelenka, D. J.; Dunnington, E. A.; Siegel, P. B.: Growth to sexual maturity of dwarf and nondwarf White Rock chickens divergently selected for juvenile body weight 61
Zeller, F. J.: see Friebe, B. et al., 337
Zethof, J. L. A.: see Grinsven, M. Q. J. M. van et al., 94
Zolfino, C.: see Cavallini, A. et al., 20

In memoriam of Hitoshi Kihara 1

In memory of Dmitri Konstantinovich Belyaev 932

**Book reviews** 158, 159, 160, 320, 478, 479, 480, 623, 624, 767, 768, 934, 935, 936

Indexed in *Current Contents*

**Acknowledgements**

The editors wish to thank the following external referees for their assistance in selection and evaluation of manuscripts submitted

R. E. Allan (Washington)
S. Arcioni (Perugia)
T. B. Bailey (Iowa)
D. Bartels (Cambridge)
P. Batterham (Australia)
M. D. Bennett (Cambridge)
N. Borysjuk (USSR)
P. Chourey (Florida)
J. C. Coors (Wisconsin)
N. M. Cowen (Illinois)
S. Cox (Kansas)
D. Dale (Cambridge)
N. Dimitrieva (USSR)
D. Dudits (Hungary)
C. D. Dybing (South Dakota)
T. Emigh (North Carolina)
R. B. Flavell (Cambridge)
M. D. Gale (Cambridge)
J. Gerloff (Illinois)
J. C. Glazmann (Philippines)
J. P. Gustafson (Missouri)
T. Helms (Iowa)
R. van Herpen (Netherlands)
W. G. Hill (Edinburgh)
J. Heslop-Harrison (Aberystwyth)
P. Heslop-Harrison (Cambridge)
J. W. James (Australia)
G. Jenkins (Cambridge)
R. H. Johnson (North Dakota)
I. Kanevsky (USSR)
R. Kaushik (Himachal)
B. P. Kinghorn (Australia)
G. B. Kiss (Hungary)
S. J. Knapp (Oregon)
R. Koebner (Cambridge)
I. K. Komarnitsky (USSR)
V. A. Kunack (USSR)
K. R. Lamkey (Iowa)
D. C. L. Lay (South Dakota)
A. Lundquist (Sweden)
S. Malyuta (USSR)
J. Martin (Montana)
M. W. Martin (Washington)
L. Marton (Hungary)
S. W. McKechnie (Monash)
T. E. Miller (Cambridge)
O. Muona (Finland)
D. C. Rasmusson (Minnesota)
M. Saghai-Maroof (California)
A. Saura (Sweden)
J. Schrauwen (Netherlands)
L. R. Shlumukov (USSR)
V. Sidorov (USSR)
G. D. Statter (North Dakota)
J. Tammisola (Finland)
R. Thompson (FRG)
Y. P. Vinetsky (USSR)
Z. Wicks III (South Dakota)

as well as the assistance of Mrs. Ann Jenks-Coupland and Mrs. J. Smits-Broekmans at the editorial office